

APPENDIX 6—SOIL CLASSIFICATIONS

SYMBOL	NAME
Hm	Hamel Loam
TeB	Terril Loam, 0 to 6 %
HcE3	Lester-Kilkenny Clay Loams, 18 to 25 %, sev. eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaF	Lester-Kilkenny Loams, 25 to 40 %
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaD	Lester-Kilkenny Loams, 12 to 18 %
HaF	Lester-Kilkenny Loams, 25 to 40 %
Pd	Houghton and Muskego Mucks
HaF	Lester-Kilkenny Loams, 25 to 40 %
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
Hm	Hamel Loam
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaF	Lester-Kilkenny Loams, 25 to 40 %
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaD	Lester-Kilkenny Loams, 12 to 18 %
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
Hm	Hamel Loam
Ge	Glencoe Loam
HaF	Lester-Kilkenny Loams, 25 to 40 %
Cw	Cordova and Webster Loams
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaD	Lester-Kilkenny Loams, 12 to 18 %
TeB	Terril Loam, 0 to 6 %
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
TeB	Terril Loam, 0 to 6 %

SYMBOL	NAME
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaF	Lester-Kilkenny Loams, 25 to 40 %
Hm	Hamel Loam
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
Pm	Palms Muck
Hm	Hamel Loam
TeB	Terril Loam, 0 to 6 %
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
Hm	Hamel Loam
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
Hm	Hamel Loam
Pd	Houghton and Muskego Mucks
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaF	Lester-Kilkenny Loams, 25 to 40 %
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
Hm	Hamel Loam
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
TeB	Terril Loam, 0 to 6 %
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
TeB	Terril Loam, 0 to 6 %
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
Ge	Glencoe Loam
TeB	Terril Loam, 0 to 6 %
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
Hm	Hamel Loam
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
TeB	Terril Loam, 0 to 6 %
Hm	Hamel Loam
Pd	Houghton and Muskego Mucks
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded

SYMBOL	NAME
TeB	Terril Loam, 0 to 6 %
Ge	Glencoe Loam
Pm	Palms Muck
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
Cd	Canisteo Silty Clay Loam, Depressional
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HcE3	Lester-Kilkenny Clay Loams, 18 to 25 %, sev. eroded
HaD	Lester-Kilkenny Loams, 12 to 18 %
HcC3	Lester-Kilkenny Clay Loams, 12 to 18 %, sev. eroded
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
Pd	Houghton and Muskego Mucks
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
Hm	Hamel Loam
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
Ge	Glencoe Loam
TeC	Terril Loam, 6 to 12 %
TeB	Terril Loam, 0 to 6 %
TeB	Terril Loam, 0 to 6 %
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HaF	Lester-Kilkenny Loams, 25 to 40 %
Pd	Houghton and Muskego Mucks
Hm	Hamel Loam
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HcC3	Lester-Kilkenny Clay Loams, 12 to 18 %, sev. eroded
Ge	Glencoe Loam
HcE3	Lester-Kilkenny Clay Loams, 18 to 25 %, sev. eroded
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
Hm	Hamel Loam
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
Hm	Hamel Loam
Hm	Hamel Loam
Pd	Houghton and Muskego Mucks
HaF	Lester-Kilkenny Loams, 25 to 40 %
HaF	Lester-Kilkenny Loams, 25 to 40 %
HcE3	Lester-Kilkenny Clay Loams, 18 to 25 %, sev. eroded
Pm	Palms Muck
HaF	Lester-Kilkenny Loams, 25 to 40 %
Hm	Hamel Loam
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HcC3	Lester-Kilkenny Clay Loams, 12 to 18 %, sev. eroded
Ge	Glencoe Loam
Ge	Glencoe Loam
Pm	Palms Muck
HcE3	Lester-Kilkenny Clay Loams, 18 to 25 %, sev. eroded

SYMBOL	NAME
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaD	Lester-Kilkenny Loams, 12 to 18 %
Ge	Glencoe Loam
HcE3	Lester-Kilkenny Clay Loams, 18 to 25 %, sev. eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaD2	Lester-Kilkenny Loams, 12 to 18 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded
Ge	Glencoe Loam
HaF	Lester-Kilkenny Loams, 25 to 40 %
Hm	Hamel Loam
HaC/LaC	Lester-Kilkenny Loams, 6 to 12 %
Hm	Hamel Loam
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HaB/LaB	Kilkenny-Lester Loams, 2 to 6 %
HcC3	Lester-Kilkenny Clay Loams, 12 to 18 %, sev. eroded
HaC2/LaC2	Lester-Kilkenny Loams, 6 to 12 %, eroded
HcC3	Lester-Kilkenny Clay Loams, 12 to 18 %, sev. eroded
HaE2	Lester-Kilkenny Loams, 18 to 25 %, eroded
HaB2/LaB2	Lester-Kilkenny Loams, 2 to 6 %, eroded